

На конкурс научных работ
им. Б.Г. Ананьева
Яковлева Мария Викторовна
Аннотация к выпускной
квалификационной работе

АННОТАЦИЯ

Исследование посвящено актуальной в клинической психологии проблеме приверженности лечению пациентов с хроническими заболеваниями. Изучались отношение к болезни и лечению больных ишемической болезнью сердца после коронарного шунтирования. Было обследовано 38 пациентов. Разделение на группы осуществлялось экспертным методом. У пациентов исследовались: эмоциональное состояние (методика «ДС»), внутренняя картина болезни (методика ТОБОЛ), личностные характеристики (опросник «Большая пятерка»), совладающее поведение (методика «Способы совладающего поведения»), мотивационная направленность (тест «СЖО»). Применялись частотный, множественный регрессионный и дискриминантный анализ. Выявлено, что для обеих групп характерны стремление показать себя с лучшей стороны и интровертированность. Неприверженные пациенты отличаются анозогнозическим типом отношения к болезни, сложностями в самоорганизации, неготовностью к сотрудничеству, отсутствием целей в будущем, неудовлетворенностью жизнью. Изучение прогностической информативности характеристик в отношении степени приверженности лечению больных показало, что редкое использование стратегии положительная переоценка в сочетании с высокими значениями по эргопатическому типу отношения к болезни статистически достоверно связано с некомплаентным поведением. Полученные данные позволят заблаговременно выявлять пациентов с высоким риском несоблюдения рекомендаций врачей и проводить с ними целенаправленную психокоррекционную и просветительскую работу.

Abstract

Patients' with ischemic heart disease attitude towards illness and treatment after aorto-coronary bypass surgery.

The research is devoted to the actual in clinical psychology problem of adherence to treatment among patients with chronic diseases. We studied the attitude towards illness and treatment of patients with coronary artery disease after coronary bypass surgery. A group of 38 patients was examined. The division into groups was carried out by an expert method. Several patients' characteristics were studied by psychometric methods: emotional state, internal picture of the disease, personality traits, coping behavior, motivational orientation. Data were processed using frequency, multiple regression and discriminant analysis. Both groups were found to have the desire to show their best and to be introverts. Patients with poor compliance turned out to have anosognosic type of attitude towards illness, difficulties in self-organizing, unwillingness to cooperate, lack of future goals, life dissatisfaction. The study of the predictive value of psychological characteristics with respect to the degree of adherence to treatment revealed that rare use of the coping strategy "positive reevaluation" in combination with high figures of the ergopathic type of attitude towards illness is significantly connected with noncompliant behavior. The obtained data permit to beforehand identify the patients with high risk of noncompliance of therapy and to carry out focused psychocorrective and educating work with them.